

Cope



# Alston & Bird LLP

Bank of America Plaza  
101 South Tryon Street, Suite 4000  
Charlotte, NC 28280-4000  
(704) 444-1000  
Fax (704) 444-1111

May 31, 2006

Certificate  
JUN 08 2006  
of Correction

Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Re: United States Patent for  
*High Energy Containment Device And Turbine With Same*  
Application No. 10/630,500; Filed July 30, 2003  
Patent No. 7,008,173; Issued March 7, 2006  
Our File 038190/261436

Sir:

It is respectfully requested that a Certificate of Correction be issued for the above-identified patent, in accordance with 37 C.F.R. §1.322. This request is made in order to correct the mistakes incurred through the fault of the United States Patent and Trademark Office ("USPTO").

The mistakes appearing in the patent are set forth on the Certificate of Correction enclosed herewith, with an additional copy thereof and a postal card being enclosed in accordance with the present USPTO practice.

Respectfully submitted,

Nicholas F. Gallo  
Registration No. 50,135

NFG:mf  
Enclosures  
CLT01/4829515v1

11 8 2006

Staple  
Here  
Only!

PRINTER'S TRIM LINE

# UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 7,008,173 B2  
DATED : March 7, 2006  
INVENTOR(S) : Gabrys et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 5,

Line 5, "56e" should read --56c--;  
Line 35, "6k" should read --62c--;  
Line 36, "byte" should read --by the--;  
Line 45, "61c" should read --60c--.

MAILING ADDRESS OF SENDER:

ALSTON & BIRD LLP  
Bank of America Plaza  
101 South Tryon Street, Suite 4000  
Charlotte, NC 28280-4000  
Tel Charlotte Office (704) 444-1000

FORM PTO 1050 (REV. 3-82)

PATENT NO. 7,008,173 B2

No. of add'l. copies  
@ 30¢ per page



8 2006

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,008,173 B2  
DATED : March 7, 2006  
INVENTOR(S) : Gabrys et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 5,

Line 5, "56e" should read --56c--;  
Line 35, "6k" should read --62c--;  
Line 36, "byte" should read --by the--;  
Line 45, "61c" should read --60c--.

MAILING ADDRESS OF SENDER:

ALSTON & BIRD LLP  
Bank of America Plaza  
101 South Tryon Street, Suite 4000  
Charlotte, NC 28280-4000  
Tel Charlotte Office (704) 444-1000

FORM PTO 1050 (REV. 3-82)

PATENT NO. 7,008,173 B2

No. of add'l. copies  
@ 30¢ per page



8/2006